



See the Light




ABOUT PABLO DESIGNS

Pablo's designs have been propelled to the forefront of American contemporary lighting by an uncompromising devotion to simplicity and utility. By fusing the highest technical sensibilities with the most appropriate material palette, Pablo is able to create unique, timeless designs with the power to transform any environment. Pablo was founded in San Francisco in 1993 by Venezuelan born industrial designer Pablo Pardo. Embracing a less-is-more ideology, Pablo frequently challenges traditional design metaphors, developing more practical solutions distilled down to their essence, form and light. A common thread links all of its creations, valuing permanence and sustainability, discarding the disposable mindset so prevalent today. Its mission is to create designs that deepen the relationship between objects, their users, and their environments.

FOUNDER / CREATIVE DIRECTOR

Pablo Pardo

With the creation of his first product in 1993, Pablo established a powerful and generative design philosophy. Since then, his core principles have informed the development of every light in the studio's 25-year history. These products continue to move with culture while withstanding trends in design and each one carries the underlying uniqueness that is distinctly "Pablo."



DESIGN COLLABORATIONS



Brad Ascalon

Brad Ascalon's multidisciplinary Manhattan studio was founded in 2006. With a reductive approach to his craft, Ascalon believes in design that is uncomplicated, rational and manages to find the perfect balance of form, function and concept. Ascalon's work has been exhibited around the world, and in 2013 he was singlehandedly invited to represent American design with an installation at Moscow Design Week. Ascalon earned a Masters' degree for Industrial Design from New York's Pratt Institute in 2005, and that same year was recognized by Wallpaper magazine as one of the "Ten Most Wanted" emerging designers in the world. He attributes his passion for design to the two generations before him who instilled the value of craftsmanship and rigor.

Pablo Studio



The Pablo Studio is a small group of makers and inventors with a diverse background in industrial design and craft, and a deep understanding of manufacturing, materials and technology. They aim to foster a sense of discovery and deeply personal utility in people's interaction with objects. In beginning a new project, the team isolates a concept, meticulously refines it, and then reduces it to its central principle. The studio requires each design element to contribute to the essence of an object, following the Pablo philosophy of "less is more." Pablo Studio works together to develop products that offer people unique experiences and broaden the field of lighting design.

PRODUCT FAMILIES







CIELO XL 28-33








GRID 34-37



BOLA DISC

Bola Disc is a uniquely expressive LED Pendant system featuring a distinctive range of chromated disc reflectors that give the illusion of weightlessness by mirroring its surroundings. Bola Disc pairs an elegant globe diffusor made of opaline glass with exquisitely polished stainless steel or aluminum discs in chrome, brass, rose gold and lacquered white to appease the most discerning tastes. Dependent on size, Bola provides up to 1550 lumens of warm ambient light and is fully dimmable, providing unparalleled illumination. Bola can be suspended individually, in series, or as striking chandelier groupings for residential, contract, and hospitality settings alike. Bola Disc is also available in 2 elegant table models to add warmth to any space.

Designer: Pablo Pardo + Pablo Studio 2017





BOLA DISC PENDANT

DESCRIPTION

Bola Disc is a uniquely expressive LED luminaire that pairs a striking chromated disc reflector with an opaline glass globe creating a captivating combination to give the illusion of weightlessness by mirroring its surroundings. Available in pendant, flush and table models, Bola Disc features four exquisitely polished stainless steel or aluminum discs in chrome, brass, rose gold, and gloss laquered white to bring a touch of opulence to any space. The pendant model is available in 4 distinct sizes 12"(30cm), 18"(46cm), 22"(56cm), 32"(81cm) while flush and table models are available in 12" (30cm) and 18" (46cm) sizes. Dependent on size, Bola provides up to 1550 lumens of fully dimmable warm ambient light, providing unparalleled illumination for residential, contract, and hospitality settings alike.

FIXTURE TYPE

Pendant

LIGHT SOURCE

LED High-Output chip on board

MODELS Bola Disc 12, 18, 22, 32

LIGHT CONTROL

Hard-wired, dimmable

FEATURES

Shade Options: 12"(30cm), 18"(46cm), 22"(56cm), 32"(81cm) Discs

SPECIFICATIONS

Voltage: 120 or 240V 50/60Hz Power Consumption: 8W (12", 18"), 15W (22"), 20W (32") Color Temperature: 2700K Luminosity: 560 Lumens (12"), 640 Lumens (18"), 1160 Lumens (22"), 1550 Lumens (32") Luminaire Efficacy: 57 Lumens/Watt Color Rendition Index: 95 CRI 50K hour lifespan Cord Length: 10′ (3m) (Field cuttable) ELV Dimmer recommended

CERTIFICATIONS



Bola Disc 12	4LBS	15" X 7"	
(Steel Shade)	1.8KG	38cm X 18cm	
Bola Disc 12	2.4LBS	15" X 7"	
(White Aluminum Shade)	1.1KG	38cm X 18cm	
Bola Disc 18	8.6LBS	20.75" X 8"	
(Steel Shade)	3.9KG	53cm X 20cm	
Bola Disc 18	6.75LBS	20.75" X 8"	
(White Aluminum Shade)	3KG	53cm X 20cm	
Bola Disc 22	12.25LBS	24" X 10"	
(Steel Shade)	5.6KG	61cm X 25cm	
Bola Disc 22	9LBS	24" X 10"	
(White Aluminum Shade)	4.1KG	61cm X 25cm	
Bola Disc 32	23.8LBS	34.5" X 10.5"	
(Steel Shade)	10.8KG	87.6cm X 27cm	
Bola Disc 32	17.5LBS	34.5" X 10.5"	
(White Aluminum Shade)	7.9KG	87.6cm X 27cm	

NOTES

8

Custom requests can be considered on volume orders








DIMENSIONS

6'

FINISHES









6"

(15cm)





BOLA DISC CHANDELIER

DESCRIPTION

Bola's elegant reflective disc and globe design can be suspended in a variety of custom arrangements with both round and linear canopy solutions. With Bola Chandelier, up to 9 lamps can be grouped together in a variety mixed disc sizes to form stunning luminaire displays. Both size and shape of the grouping is controlled by lamp quantity and positioning relative to the universal canopy. Swag mounts are provided to extend the lights out into space along with an ample cord length of 10' (304cm) to offer a wide array of unique solutions.


FIXTURE TYPE Pendant

LIGHT SOURCE LED High-Output chip on board

CERTIFICATIONS



NOTES Custom requests can be considered on volume orders *Available August 2018



GLOSS WHITE/ CHROME 2, 3, 4, 5, 6... 9

Linear

ROSE GOLD



BRASS

FINISHES

BOLA DISC


CHROME



BOLA DISC FLUSH

DESCRIPTION

A study in refined simplicity, Bola Flush offers a magical combination of mirror and globe refined down to its bare essentials. The objective with the Bola Flush is to provide both direct and reflected light from either ceiling or wall mounted vantage points. Bola Flush brings elegance and refinement with two sizes and four finishes in white, brass, rose gold, or chrome. An ideal fixture for adding diffused and reflected light in hallway corridors, nooks, dining settings, bedrooms, or living areas. Stunning groupings can also be created by mixing different sizes together to form unique custom light displays



GLOSS WHIT

22" (55cm)

7.2" (18.2cm)

FIXTURE TYPE

Wall/Ceiling

LIGHT SOURCE

LED High-Output chip on board

MODELS

Bola Flush 12, 18, 22, 32



(15.7cm)

BRASS

LIGHT CONTROL

Hard-wired, dimmable

FEATURES

Shade Options: 12"(30cm), 18"(46cm), 22"(55cm), 32"(81.2cm)

SPECIFICATIONS


DIMENSIONS Voltage: 120 or 240V 50/60Hz BOLA DISC FLUSH 12, 18, 22, 32 Power Consumption: 8W (12", 18"), 15W (22"), 20W (32") Luminosity: 560 Lumens (12"), 640 Lumens (18"), 1160 Lumens (22"), 1550 Lumens (32") Luminaire Efficacy: 57 Lumens/Watt Color Rendition Index: 95 CRI 50K hour lifespan (30.5cm) ELV Dimmer recommended

5" (12.7cm)

CERTIFICATIONS



NOTES Custom requests can be considered on volume orders *Available August 2018



6" (15.2cm)



BOLA DISC TABLE

DESCRIPTION

Bola Table's iconic silhouette is defined by its elegant chromed aluminum disc shade positioned at 45 degrees while elevated by an opaline glass globe diffusor that appears to float over its chrome aluminum cylinder base. The shade can be rotated 360 degrees to provide multiple lighting possibilities allowing its friendly assymetric design to cast both direct and indirect light where you need it most. This distinctly modern design is perfect for desks, bedside stands, and reading nooks. Bola Table also features full-range dimming via a discreet optical switch and is available in 3 finishes in Brass, Gun Metal and Rose Gold.

FIXTURE TYPE Table

LIGHT SOURCE LED High-Output chip on board

MODELS Bola Disc Table 12

LIGHT CONTROL Full range dim control

FEATURES

Shade Option: 12"(30cm) SPECIFICATIONS Voltage: 120 or 240V 50/60Hz Power Consumption: 8W (12") Luminosity: 560 Lumens (12") Luminaire Efficacy: 57 Lumens/Watt Color Rendition Index: 95 CRI 50K hour lifespan Cable length: 8' (244cm)

CERTIFICATIONS




NOTES Custom requests can be considered on volume orders *Available Fall 2018






DIMENSIONS

BOLA DISC 12 TABLE







BOLA FELT

Bola Felt's charmingly expressive felted shade hat features a soft and pliable conical structure with 2 colored layers of undulating wool inside and out. Available in 2 distinct sizes: 24" (61 cm) and 32" (81 cm), its shade rests elegantly over its opaline glass globe diffusor allowing the user to tilt the shade to multiple angles to focus light while taking on various relaxed personalities in the process. Bola Felt casts unparalled illumination boasting up to 1550 lumens of warm and dimmable LED light that runs cool to the touch. Bola can be suspended individually, or in spectacular groupings to become the centerpieces of any space. Bola's thick felt shade also offers excellent acoustic dampening benefits making them perfectly suited for use over dining applications as well as social gathering areas where sound control is beneficial. Ideal for residential, lounge and hospitality spaces alike.

Designer: Pablo Pardo + Pablo Studio 2017



BOLA FELT

DESCRIPTION

Bola Felt's charmingly expressive felted shade hat features a soft and pliable conical structure with 2 colored layers of undulating wool inside and out. Available in 2 distinct sizes: 24" (61 cm) and 32" (81 cm), its shade rests elegantly over its opaline glass globe diffusor allowing the user to tilt the shade to multiple angles to focus light while taking on various relaxed personalities in the process. Bola Felt casts unparalled illumination boasting up to 1550 lumens of warm and dimmable LED light that runs cool to the touch. Bola can be suspended individually, or in spectacular groupings to become the centerpieces of any space. Bola's thick felt shade also offers excellent acoustic dampening benefits making them perfectly suited for use over dining applications as well as social gathering areas where sound control is preferable. Ideal for residential, lounge and hospitality spaces alike.

FIXTURE TYPE

Pendant

LIGHT SOURCE

LED High-Output chip on board

MODELS

Bola Felt 24 Bola Felt 32

LIGHT CONTROL Hard-wired, dimmable

FEATURES

Adjustable Shade Acoustic Dampening

SPECIFICATIONS

Voltage: 120 or 240V 50/60Hz Power Consumption: 15W (24"), 20W (32") Color Temperature: 2700K Luminosity: 1160 Lumens (24"), 1550 Lumens (32") Luminaire efficacy: 57 Lumens/Watt Color Rendition Index: 95 CRI 50K hour lifespan Cable Length: 10' (3m) (Field cuttable) ELV Dimmer recommended

CERTIFICATIONS





PACKAGING WEIGHT AND DIMENSIONS Polo Folt 24 8751 BS 2/1" X 10"

bola Fell 24	0./JLDJ	24 X IU
	4KG	61cm X 25.5cm
Bola Felt 32	16.5LBS	34.5" X 10.5"
	7.5KG	87.6cm X 27cm


NOTES Custom requests can be considered on volume orders





DIMENSIONS

BOLA FELT 24, 32







BELMONT

The Belmont Collection was a collaborative creation with designer Brad Ascalon. Re-envisioning the traditional fabric shade lamp, but with the warmth and preciousness of hand crafted furniture. Belmont's iconic, yet reductive form creates a natural canvas for displaying an exquisite array of textiles from premium wool to colorful woven fabrics that can be paired with a solid crafted oak wood armature. Belmont Pendant can be hung individually or in stunning groupings to provide warm and comfortable illumination to complement any residential, contract, or hospitality setting. Belmont is also available in stunning table and floor standing models to bring warmth and beauty to any environment.

Designer: Brad Ascalon 2017



BELMONT PENDANT

DESCRIPTION

The Belmont Collection was a collaborative creation with designer Brad Ascalon re-envisioning the traditional fabric shade lamp, but with the warmth and preciousness of hand crafted furniture. Belmont's iconic, yet reductive form creates a natural canvas for displaying an exquisite array of textiles from premium wool to colorful woven fabrics that can be paired with a solid crafted oak wood armature. The Belmont Pendant can be hung individually or in stunning groupings to provide warm and comfortable illumination to complement any residential, contract, or hospitality setting.

FIXTURE TYPE Pendant

LIGHT SOURCE High output LED array

MODELS Belmont 22 Belmont 26

LIGHT CONTROL Hard-Wired Fully dimmable with ELV dimmers

FEATURES Matching wood canopy

SPECIFICATIONS

Voltage: 120/240V 50-60Hz Power Consumption: 30W Color temperature: 2700K Luminosity: 1200 Lumens Color Rendition Index: 95 CRI 50K hour lifespan Cable length: 10' (3m) (Field cuttable) ELV Dimmer recommended





PACKAGING WEIGHT AND DIMENSIONS

Belmont 22	8.75LBS	22.5" X 18"
	4KG	57cm X 45.5cm
Belmont 26	10.4LBS	26.5" X 21"
	4.7KG	67cm X 53cm










SILVERDALE

FINISHES

BELMONT 22, 26



NOTES

Custom requests can be considered on volume orders



BELMONT TABLE

DESCRIPTION

An elegant interplay of proportion and material, the Belmont Table Lamp (2018) is designed to illuminate interiors from modern to traditional. Its iconic shade form is comprised of premium wool felt fabric that is delicately balanced over a contrasting hand-crafted solid wood base in oak or walnut. Belmont's unique base also features full range dimming to set the perfect ambiance while a convenient USB port offers charging capability for all your mobile devices. Belmont table sits perfectly in residential as well as hospitality and contract environments offering a low setting light solution with a warm and bright LED luminaire for a lifetime of maintenance free service. Four standard shade colors are interchangeable with 2 wood base finishes.

FIXTURE TYPE Table

LIGHT SOURCE High output LED array

MODELS Belmont Table 22

LIGHT CONTROL Full range dim control

FEATURES USB 3.0 charging port

SPECIFICATIONS

Voltage: 120/240V 50-60Hz Power Consumption: 24W Color temperature: 2700K Luminosity: 900 Lumens Color Rendition Index: 95 CRI 50K hour lifespan Cable length: 8' (244cm)

CERTIFICATIONS






PACKAGING WEIGHT AND	DIMENSIONS

Belmont Table	12LBS	22.5″ X 18″	
	5.5KG	57cm X 45.5cm	

NOTES Custom requests can be considered on volume orders *Available Fall 2018







FINISHES

WOOD

OAK







24 **Pablo**

BELMONT FLOOR

DESCRIPTION

An elegant interplay of proportion and material, the Belmont Floor Lamp (2018) is designed to illuminate interiors from modern to traditional. Its iconic shade form is comprised of premium wool felt fabric that is delicately balanced over a contrasting tri-pod leg assembly hand-crafted from solid oak or walnut. Belmont floor's majestic frame stands at a 65" (162cm) height providing ample illumination in any living area and is perfectly suited for residential as well as hospitality and contract environments alike. Featuring 2700K warm and bright (2700K) LED illumination, Belmont Floor provides up to 50K hours of maintenance free service. Four standard shade colors are interchangeable with 2 wooden leg post finishes.

FIXTURE TYPE Floor

LIGHT SOURCE High output LED array

MODELS Belmont Floor 26

LIGHT CONTROL In-line foot switch

FEATURES Ships flat-packed

SPECIFICATIONS

Voltage: 120/240V 50-60Hz Power Consumption: 24W Color temperature: 2700K Luminosity: 900 Lumens Color Rendition Index: 95 CRI 50K hour lifespan Cable length: 9' (274m) (Field cuttable)

CERTIFICATIONS



PACKAGING WE	EIGHT AND	DIMENSIONS	
Belmont Floor	13LBS	26.5" X 21"	
	6KG	67cm X 53cm	

NOTES Custom requests can be considered on volume orders *Available Fall 2018


26 **Pablo**








DIMENSIONS








CIELO XL

The minimalist Cielo pendant Series is expanding to include the stunning new Cielo XL, a taller and slimmer design offering premium machined aluminum finishes and boasting a warm and brilliant 1200 lumen output. Cielo XL is scaled perfectly for hospitality and residential environments alike and can be suspended individually, in a series or as chandelier groupings to provide directional illumination that is both perfectly balanced and glare free. Cielo XL is fully dimmable and employs state of the art flat panel LED technology which is rated for up to 50K hours of use.

Designer: Pablo Studio 2017





CIELO XL

DESCRIPTION

The minimalist Cielo pendant Series is expanding to include the stunning new Cielo XL, a taller and slimmer design offering premium machined aluminum finishes and boasting a warm and brilliant 1200 lumen output. Cielo XL is scaled perfectly for residential and hospitality environments alike and can be suspended individually, in a series or as chandelier groupings to provide focused illumination that is both perfectly balanced and glare free. Cielo XL is fully dimmable and employs state of the art flat panel LED technology which is rated for up to 50K hours of use.

FIXTURE TYPE Pendant

i enuant

LIGHT SOURCE LED Flat-Panel

MODELS Cielo XL

LIGHT CONTROL


Hard-wired Fully dimmable

FEATURES

Energy efficient flat panel technology Glare-free illumination

SPECIFICATIONS

Voltage: 120 or 240V 50/60Hz Power Consumption: 18W Color Temperature: 2700K Luminosity: 1200 Lumens Luminaire efficacy: 58 Lumens/Watt Color Rendition Index: 91 CRI 50K hour lifespan Cable Length: 10' (3m) (Adjustable height) ELV Dimmer recommended





PACKAGING WEIGHT AND DIMENSIONS

Cielo XL: 4.25LBS 8" X 19.5" 2KG 20cm X 49.5cm




FINISHES



DIMENSIONS

CIELO XL



NOTES Custom requests can be considered on volume orders





CIELO XL CHANDELIER

DESCRIPTION

Cielo XL chandelier's stunning machined aluminum design can be suspended in a variety of unique custom arrangements with both round and linear canopy solutions. With Cielo XL Chandelier, up to 9 lamps can be grouped together in a variety mixed sizes to form impressive luminaire displays. Both size and shape of the grouping is controlled by lamp quantity and positioning relative to the universal canopy. Swag mounts are provided to extend the lights out into space along with an ample height adjustable cord length of 10' (304cm) to offer a wide range of unique custom configurations.


FIXTURE TYPE Pendant

LIGHT SOURCE LED Flat-Panel

CERTIFICATIONS



NOTES Custom requests can be considered on volume orders *Available August 2018












GRID

Inspired by Japanese joinery, Grid conveys a lightness and weightlessness of form in its orderly structured frame of natural wood or optical acrylic. The precision cut slats provide both optimal diffusion from side viewing angles while celebrating a rich palate of natural woods and rich acrylic colorways to direct warm ambient light downward with minimal light spill. Grid can be suspended individually or in series to create uniquely transformative configurations of light and shadow. Perfect for entry foyers, dining areas, work spaces or hallway corridors.

Designer: Pablo Pardo + Pablo Studio 2017



GRID

DESCRIPTION

Grid conveys a lightness and weightlessness of form in its orderly structured frame of natural wood or optically clear acrylic. The CNC cut slats provide both optimal diffusion from side viewing angles while celebrating a rich palate of natural woods and rich acrylic colorways to direct warm ambient light downward with minimal light spill. Grid can be suspended individually or in series to create uniquely transformative configurations of light and shadow. Available in two complementary sizes: 1x1 18.5" (47cm) X 18.5" (47cm) and 1x3: 18.5" (47cm) X 46.3" (118cm), Grid is perfectly suited for illuminating dining, work spaces or corridors with 1500 lumens and 4500 lumens depending on size. Limitless arrangements can be configured.

FIXTURE TYPE Pendant

LIGHT SOURCE LED Flat-Panel

MODELS

Grid 1X1 Grid 1X3

LIGHT CONTROL Hard-wired

Fully dimmable

FEATURES

Energy efficient flat panel technology Glare-free illumination

SPECIFICATIONS

Voltage: 100 or 240V 50/60Hz Power Consumption: 20W (1X1), 60W (1X3) Color Temperature: 2700K Luminosity: 1500 lm (1X1), 4500 lm (1X3) Luminaire efficacy: 91 Lumens/Watt Color Rendition Index: 85 CRI 50K hour lifespan Cable Length: 10' (3m) (Field cuttable) ELV Dimmer recommended

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS



NOTES

Custom requests can be considered on volume orders



BRONZE

FINISHES

WOOD

ASH




DIMENSIONS

120"

18.5"

(47cm)

GRID 1X1, 1X3



















AUSTRIA

Cuuluu - House of Light Schönbrunner Straße 118/1 1050 Vienna T: +43 699 1190 0900 E: office@cuuluu.com www.cuuluu.com

NETHERLANDS

Pablo Designs B.V. The Netherlands T: +31 85 888 0858 E: info@pablodesigns.eu www.pablodesigns.eu

ESTONIA

Hektor Light Pärnu str. 139C House of Standard Tallin T: +372 615 45 11 E: info@hektor.ee

FRANCE

TOlight Sas C/O Objets D'Etonnement 20 Av. De La Belle Gabrielle 94130 Nogent Sur Marne Office: +33 1 48761845 Jerome: +33 6 03404094 jpecnard@wanadoo.fr Jean-David: +33 6 64290464 jdpottier@wanadoo.fr

GERMANY

ElbLUX Püttkampsweg 4 22609 Hamburg T: +49 40 801190 T: +49 170 2371356 E: elblux@elblux.de

ISRAEL

Cley-or Art of Light 6 Hanezach St. Ramat Hasharon Israel T: +972 73 705 5525 E: office@cley-or.co.il

ITALY

TOlight Sas di Gianfausto Abbatinali Via Passo del Moncenisio, 40 25136 - Brescia T: +39 030 200 92 32 E: info@tolight.eu www.tolight.eu

POLAND

Interium Roman Rauch Ul. Grochowska 234/240 O4-368 Warszawa T: +48 22 303 97 75 E: info@e-interium.pl www.e-interium.pl

PORTUGAL

DomoLed Nucleo Empresarial da Abrunheira Zona Poente, Pav.4 Abrunheira Sintra 2710-089 T: +351 219 111 201 E: geral@domoled.pt

SCANDINAVIA

BUYAPORT Copenhagen aps Pakhus 47, Sundkaj 7 2150 Nordhavn Denmark T: +45 / 39 42 42 92 E: info@buyaport.com www.buyaport.com

SLOVAKIA

KPP Company Štefánikova 699/9 905 01 Senica Slovakia T: +421 948 440 010 E: info@profisvietidla.sk

SPAIN

Parachilna Filatures 1-8 08690 Santa Coloma de Cervello Barcelona T: +34 936 307 772 E: avalero@parachilna.eu

SWITZERLAND

Wirzpartner GmbH Werner-Weber Str 11 CH 8630 Rüti T: +41 55 260 1960 E: info@wirzpartner.ch

UNITED KINGDOM & IRELAND

McInnes Cook LIGHT 4-5 Rudgate Business Park Tockwith North Yorkshire United Kingdom Y026 7RD T: +44 1423 359988 E: info@mcinnescook.com www.mcinnescook.com

PABLO USA

Pablo Designs 888 Marin Street San Francisco, CA 94124 T: +1 415 865 5000 F: +1 415 865 0500 E: info@pablodesigns.com www.pablodesigns.c om